

**MATERIAL SAFETY DATA SHEET****SECTION 1 — PRODUCT IDENTIFICATION**

Product Name: ProLink Eco Pro Multi-Purpose Cleaner **Certified Green:** CCD146/UL2759
Product use: Hard Surface Cleaner
WHMIS Classification: D2B: Material causing other toxic effects
Product Code Number: EP110 (69866, 69867, 69938, 69939, 69940, 69941)
MSDS Number: 0480

Supplier name and address:
ProLink Canada
Box 67082, 421 Richmond Road
Ottawa, ON K2A 4E4
(613) 722-0798

Manufacturer's name and address:
Refer to Supplier

Emergency Telephone #: CANUTEC (613) 996-6666

SECTION 2 — CHEMICAL COMPOSITION/HAZARDOUS INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>LD₅₀ mg/kg % (weight)</u>	<u>LD₅₀ mg/kg oral/rat</u>	<u>LC₅₀ ppm skin/rabbit</u>	<u>inh/rat</u>
Alcohol Ethoxylate	68991-48-0	1-5	>2000	n/av	n/av
Hydrogen Peroxide	7722-84-1	1-5	>500	>2000	n/av
Lauramine Oxide	1643-20-5	1-5	2700	n/av	n/av

SECTION 3 — HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Routes of entry: Inhalation, ingestion, skin and eye contact.

Signs and symptoms of short-term (acute) exposure:

Inhalation: Inhalation of spray or mist can cause irritation of the respiratory tract.

Skin contact: Prolonged, repeated contact can cause mild irritation.

Eye contact: Can cause mild eye irritation.

Ingestion: Can cause irritation of the gastrointestinal system and vomiting.

Effects of long-term (chronic) exposure: n/av

Other important hazards: n/ap

SECTION 4 — FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If symptoms persist, call a physician.

Skin contact: Remove contaminated clothing. Flush area with plenty of water. If irritation persists, seek medical attention.

Eye contact: IMMEDIATELY flush eyes with water for at least 15 minutes, holding the eyelids open. Contact a physician immediately.

Ingestion: DO NOT induce vomiting. If victim is completely conscious/alert, rinse mouth with water and give one glass of water. Seek immediate medical attention.

SECTION 5 — FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability: Product is water based and non-flammable.

Flash point (Method): n/av (>93, PMCC)

Lower flammable limit (% by volume): n/av

Upper flammable limit (% by volume): n/av

Explosion data: *Sensitivity to mechanical impact:* n/ap *Sensitivity to static discharge:* n/ap
Oxidizing properties: A mild oxidizer. **Auto-ignition temperature:** n/ap
Suitable extinguishing media: water spray, foam, dry chemical, or carbon dioxide
Special fire-fighting procedures/equipment: Fire-fighters should wear a positive pressure self-contained breathing apparatus, approved by NIOSH/MSHA.
Hazardous combustion products: Oxides of carbon & nitrogen.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear adequate personal protective equipment.
Environmental precautions: General ventilation.
Spill response/Cleanup: Before attempting clean-up, review hazard data in this MSDS. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered and labelled containers.
Prohibited materials: n/ap

SECTION 7 — HANDLING AND STORAGE

Safe handling procedures: Maintain adequate ventilation. Wear recommended personal protection. Wash hands thoroughly after handling.
Storage requirements: Store in a cool, dry place with lid on.
Special packaging materials: n/av

SECTION 8 — EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls: General ventilation
Respiratory protection: If conditions are such that a mist is created wear a NIOSH/MSHA approved mask for mists.
Protective gloves: Protective gloves such as natural rubber, neoprene, latex, or butyl rubber should be worn to prevent skin contact.
Eye protection: Safety glasses
Other protective equipment: Make sure an eyewash station and safety shower is available.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical form, colour and odour: Clear colourless liquid	
Odour threshold: Odourless	pH (as supplied): 4.5-5.5
Boiling point: 100°C	Melting/freezing point: 0°C
Vapour pressure: n/av	Solubility in water: Soluble
Coefficient of oil/water distribution: n/av	Vapour density: n/av
Specific gravity or relative density (water = 1): 1.023	Evaporation rate: n/av
Volatile organic compounds (VOC's): n/av	Percent Volatile by Weight: 98% (w/w)

SECTION 10 — REACTIVITY AND STABILITY DATA

Stability and reactivity: Product is stable
Conditions to avoid: Contact with strong oxidizers and reducing agents.
Materials to avoid: Avoid contact with strong oxidizers.
Hazardous decomposition products: Thermal decomposition can produce oxides of carbon and nitrogen, and hydrogen chloride.

SECTION 11 — TOXICOLOGICAL INFORMATION

LD₅₀: Not established for the product. See Section 2 for values for ingredients.
LC₅₀: Not established for the product. See Section 2 for values for ingredients
Exposure limits: ACGIH-TLV; ACGIH-STEL; ACGIH-CEILING n/av
Carcinogenicity: No ingredient listed by IARC, ACGIH, NTP, or OSHA as carcinogens.
Teratogenicity, mutagenicity, other reproductive effects: n/av

Sensitization to material: n/av

Conditions aggravated by exposure: n/av

Synergistic materials: n/av

SECTION 12 — ECOLOGICAL INFORMATION

Environmental effects: n/av

SECTION 13 — WASTE DISPOSAL

Handling for disposal: Reuse if possible. Do not discharge waste material into the environment.

Methods of disposal: Follow local, provincial or state, and federal regulations.

SECTION 14 — TRANSPORTATION INFORMATION

Shipping description: Not regulated

Please note: This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.

SECTION 15 — REGULATORY INFORMATION

WHMIS information: D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 — OTHER INFORMATION

Prepared for: ProLink Canada

Telephone number: (613) 722-0798

Preparation date: February 25, 2015

References:

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2003.
2. International Agency for Research on Cancer Monographs, Supplement 7, 1988.
3. Canadian Centre for Occupational Health and Safety. CHEMINFO database.
4. Material Safety Data Sheets from raw materials suppliers.



Product certified for reduced environmental impact. View specific attributes evaluated: UL.COM/EL
UL #2759

n/ap Not applicable

n/av Not available