

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number FA004C
Product name Pro-Link Dust Mop Treatment
Effective date 12-Oct-2010
Company information Pro-Link Inc
Ottawa Ontario, K1Z 1E9 Canada
Company phone General Assistance 1-800-74-LINKS
Emergency telephone US 800-424-9300
Emergency telephone outside US 703-527-3887
Version # 06
Supersedes date 09-Nov-2009
Expiry Date 30-Nov-2012

2. Hazards Identification

Emergency overview Flammable aerosol. CONTENTS UNDER PRESSURE.
Yields a flame projection at full valve opening or a flashback at any degree of valve opening. Heat may cause the containers to explode.

Potential health effects

Routes of exposure Skin contact. Ingestion.

Eyes Health injuries are not known or expected under normal use.

Skin Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Ingestion Exposure by ingestion of an aerosol is unlikely. Health injuries are not known or expected under normal use. Components of the product may be absorbed into the body by ingestion.

Target organs Central nervous system. Lungs. Skin.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Paraffinic, Naphthenic Solvent	64742-47-8	65 - 100
Propane	74-98-6	10 - 30
Odorless Mineral Spirits	64742-48-9	7 - 13
Non-hazardous and other components below reportable levels		5 - 10

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Rinse with water.

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Ingestion If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not induce vomiting without advice from poison control center. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. No need for first aid is anticipated if material is swallowed.

5. Fire Fighting Measures

Flammable properties	Flammable by WHMIS criteria. Heat may cause the containers to explode. Ruptured cylinders may rocket. Vapors may travel considerable distance to a source of ignition and flash back.
Extinguishing media	
Suitable extinguishing media	Water. Water spray. Water fog. Dry chemical. Carbon dioxide (CO ₂).
Protection of firefighters	
Protective equipment and precautions for firefighters	Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out. Some of these materials, if spilled, may evaporate leaving a flammable residue. Do not direct water at source of leak or safety devices as icing may occur. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Unusual fire & explosion hazards	Flammable by WHMIS criteria. Heat may cause the containers to explode. Ruptured cylinders may rocket. Vapors may travel considerable distance to a source of ignition and flash back.

6. Accidental Release Measures

Methods for containment	Stop leak if you can do so without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). If possible, turn leaking containers so that gas escapes rather than liquid. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Prevent entry into waterways, sewer, basements or confined areas.
Methods for cleaning up	Clean up in accordance with all applicable regulations. Should not be released into the environment. Ventilate the area. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Handling	Pressurized container: Do not pierce or burn, even after use. When using do not smoke. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not use if spray button is missing or defective. Do not re-use empty containers.
Storage	Contents under pressure. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Keep at temperature not exceeding 49 °C. Store in a well-ventilated place. Keep out of the reach of children. Level 3 Aerosol.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

Components	CAS #	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established

Personal protective equipment

Eye / face protection	Not normally needed.
Skin protection	Wear appropriate chemical resistant clothing.
Respiratory protection	No personal respiratory protective equipment normally required. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

9. Physical & Chemical Properties

Appearance	Compressed liquefied gas.
-------------------	---------------------------

Boiling point	339.8 °F (171.1 °C) estimated
Color	Pale yellow
Evaporation rate	Not available
Flammability (HOC)	39.7713 kJ/g estimated
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Flash back	Yes
Flash point	-156 °F (-104.4 °C) Propellant
Form	Compressed gas. Aerosol.
Freezing point	Not available
Odor	Solvent. fruity
Odor threshold	Not available
pH	Not applicable
Physical state	Liquid.
Pressure	60 - 80 psig @ 70F
Specific gravity	0.7504 estimated

10. Chemical Stability & Reactivity Information

Conditions to avoid Aerosol containers are unstable at temperatures above 49°C.

11. Toxicological Information

Acute effects Acute LD50: 2748 mg/kg estimated, Rat, Dermal

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Odorless Mineral Spirits	64742-48-9	Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >3160 mg/kg
Paraffinic, Naphthenic Solvent	64742-47-8	Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg
Propane	74-98-6	Inhalation LC50 Rat 658 mg/L 4 h

Sensitization Not expected to be hazardous by WHMIS criteria.

Carcinogenicity Not expected to be hazardous by WHMIS criteria.

Mutagenicity Not expected to be hazardous by WHMIS criteria.

Teratogenicity Not expected to be hazardous by WHMIS criteria.

Chronic toxicity Not expected to be hazardous by WHMIS criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

LC50 67.36 mg/L, Fish, 96.00 Hours,
EC50 24213 mg/L, Daphnia, 48.00 Hours,

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal Considerations

Disposal instructions Contents under pressure. Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001.

14. Transport Information

Canadian Transportation of Dangerous Goods (TDG) Requirements

Proper shipping name	AEROSOLS, flammable
Hazard class	2.1
UN number	UN1950
Marine pollutant	•
Special provisions	80 SOR/2002-306
Packaging exceptions	If <1L: Consumer Commodity



15. Regulatory Information

Canadian regulations	This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.
WHMIS status	Controlled
WHMIS classification	A - Compressed Gas B5 - Flammable/Combustible

WHMIS labeling



Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication, The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
MSDS sections updated	This document has undergone significant changes and should be reviewed in its entirety.
Prepared by	Regulatory Compliance